J. Field Ornithol. 73:439–448, 2002

Index to Volume 73

COMPILED BY MARY BOMBERGER BROWN

abundance, 38–52, 141–150, 156–165, 253–257, 268–275, 303–307
Accipiter nisus, 247
A. striatus, 359
Adirondack Mountains, 333
Aegithalos caudatus, 247
Aegolius acadicus, 335
Africa, 180, 183
age, 117–124
Agelaioides badius, 218
Agelaius phoeniceus, 268, 271, 272, 273, 382
A. thilius, 216, 218
aggression, 86–90, 185–190
aging nestlings, 33–37
Aguijan, 70
Aimophila bachmanii, 335
Aix sponsa, 410
Alabama, 39, 41, 50, 384
Alaska, 29, 63, 64, 65, 67, 91, 364
Alberta, 12
Alca torda, 290
Aleutian Islands, 364
Amazilia yucatanensis, 335
Amazon
  Blue-fronted, see *Amazona aestiva*
  Red-spectacled, see *Amazona pretrei*
  Red-tailed, see *Amazona brasiliensis*
  Yellow-shouldered, see *Amazona barbadensis*
Amazona aestiva, 399–409
A. barbadensis, 405, 406
A. brasiliensis, 405
A. finschi, 405
A. pretrei, 405, 406
A. vittata, 406
Amazonia, 15, 75
Ammodramus bairdii, 335
A. caudacutus, 334
A. henslowii, 268, 269, 270, 271, 272, 273, 274, 334, 335
A. maritimus, 334
A. nelsoni, 334, 336
A. savannarum, 268, 269, 271, 272, 273, 274
A. s. floridanus, 335
A. s. pratensis, 334
Amphispiza belli, 336
Anas crecca, 207
A. platyrhynchos, 207, 272, 279, 410
A. rubripes, 334
Andes, 282, 318, 321
anesthesia, 308–317
Anodorhynchus hyacinthinus, 402, 405, 406, 407
Anser anser, 301, 368
Anthus spragueii, 335
Antwren
  White-flanked, see *Myrmotherula axillaris*
Apanius, V., 117–124
Aphelocoma coerulescens, 240, 244
Appalachian Mountains, 268
Applegate, R. D., 20–22
Aptenodytes patagonicus, 308–317
Aquila adalberti, 298–302
A. chrysaetos, 23–32
Ara ararauna, 15–19, 405, 406
A. chloroptera, 406
A. chloropterus, 15–19
A. macao, 15–19
Aratinga leucophthalmus, 404
Archilocus colubris, 359
area search method, 253–257
Argentina, 167, 213, 214, 215, 216, 217, 259, 399, 405, 406, 407
Arias-de-Reyna, L., 197–198
Arizona, 63
Arkansas, 335
Asio flammeus, 272
Asthenes baeri, 215, 217
Athene cunicularia, 161, 335
auditory surveys, 387–391
Australia, 73, 83, 256
aviary, 20–22
aviary construction, 20–22
Aythya affinis, 206–212
Azores, 180–184
Baeolophus (*Parus*) *bicolor*, 75, 355, 356, 359, 376
Bahamas, 38–52, 380
Baja California, 62, 163
Bajema, R. A., 268–275
Ballard, W. B., 276–280
Bananaquit, see *Coereba flaveola*
banding, 23–32, 180–184, 258–267
Barbados, 82, 83
Barreto, G. R., 318–322
Bartramia longicauda, 272, 273, 334
Basileuterus tristriatus, 74
Baywing, see *Agelaioides badius*
Beardmore, C. J., 329–339
Bertran, J., 86–90
Bird, D. M., 298–302
bird strike, 60–61
Bisson, I. A., 298–302
Blackbird
  Chopi, see *Gnorimopsar chopi*
  Red-winged, see *Agelaius phoeniceus*
  Saffron-cowled, see *Xanthopsar flavus*
  White-browed, see *Sturnella superciliaris*
  Yellow-winged, see *Agelaius thilius*
Blem, C. R., 33–37
Bluebird
  Eastern, see *Sialia sialis*
Bluethroat, see *Luscinia svecica cyanecula*
Bobolink, see *Dolichonyx oryzivorus*
Bobwhite
  Northern, see *Colinus virginianus*
body mass, 33–37

Bohórquez, C. I., 281–291
Bolivia, 258, 259, 260, 264, 399
Bonaccorso, E., 318–322
Bonter, D. N., 329–339
Bosque, C., 360–362
Botero P., C. A., 74–81
Bowman, J., 276–280
Brawn, J. D., 329–339
Brazil, 180, 181, 183, 259, 360, 399, 403, 404, 405, 406
breeding success, 117–124, 156–165, 166–173, 399–409
British Columbia, 63, 64, 65, 67, 364, 366, 367
brood parasitism, 213–219, 379–386
Brook, R. W., 206–212
Brunjes, John H., IV, 276–280
Bubo bubo, 387–391
B. virginianus, 161, 411
Bubulcus ibis, 185–190
Buenos Aires, 167, 213, 215, 216, 217
Bullfinch
Lesser Antillean, see *Loxigilla noctis*
Bunting
Indigo, see *Passerina cyanea*
Painted, see *Passerina ciris*
Burhans, D. E., 53–59, 141–150
Bush-Tanagers
Common, see *Chlorospingus ophthalmicus*
Dusky, see *Chlorospingus semifuscus*
Bustard
Great, see *Otis tarda*
Buteo brachyurus, 335
B. buteo rothschildi, 181
B. jamaicensis, 301
B. lineatus, 410–411
B. regalis, 25
Buzzard
Eurasian, see *Buteo buteo rothschildi*
Cacholote
Brown, see *Pseudoseisura lophotes*
Cacicus haemorrhous, 217
Cacique
Red-rumped, see *Cacicus haemorrhous*
Cadman, M. D., 340–350
Cairina moschata, 404
Calcarius mccownii, 335
Calidris maritima, *199*
California, 29, 156–165, 336, 380
Campeche, 39, 41, 42
Camptostoma obsoletum, 261, 265
Canada, 29, 30, 62, 63, 83, 207, 210, 304, 330, 340
Canastero
Short-billed, see *Asthenes baeri*
Caprimulgus aegyptius, 60–61
C. carolinensis, 334, 336
C. parvulus, 261, 265
C. vociferus, 334, 336
Caracara
Crested, see *Polyborus plancus*
Cardellina rubrifrons, 337
Cardinal
Northern, see *Cardinalis cardinalis*
Cardinalis cardinalis, 56, 57, 343, 356, 359, 376, 381, 382, 383
Carduelis tristis, 272, 354, 355, 359
Caribbean, 38–52, 82, 180, 182, 183, 213, 335
Casiornis rufa, 261, 265
Casiornis
Rufous, see *Casiornis rufa*
Catbird
Gray, see *Dumetella carolinensis*
Catharus bicknelli, 332, 334
C. guttatus, 343, 359
C. usutulatus, 336
cavity excavation, 125–129
Cazassus, H., 387–391
Celeus elegans, 78
Central America, 360, 399
Centrocercus urophasianus, 336
Certhia americana, 343, 359
C. a. nigrescens, 335
Chaco, 258–267
Charadrius alexandrinus, 38–52
C. a. alexandrinus, 199–205
C. a. nivosus, 39, 156–165
C. a. tenuirostris, 39
C. melodus, 45, 46, 164
C. montanus, 335
C. semipalmatus, 203
C. vociferous, 203, 268, 272, 273
C. wilsonia, 44, 203, 204
Chat
Yellow-breasted, see *Icteria virens*
Chickadee
Black-capped, see *Poecile atricapillus* (*atricapilla*)
Carolina, see *Poecile carolinensis*
Mountain, see *Parus gambeli*
Chile, 216
Chimango, see *Milvago chimango*
China, 137
Chlorospingus ophthalmicus, 74, 285, 287, 290
C. semifuscus, 281–291
Chordeiles minor, 3
Chuck-will's-widow, see *Caprimulgus carolinensis*
Circus cyaneus, 272
Cistothorus platensis, 256, 272, 273, 274, 335
Clark, R. G., 206–212
Cnemotriccus fuscatus, 258, 261, 262, 263, 265
coal mines, 268–275
Coccyzus americanus, 55, 56, 57
C. erythropthalmus, 336, 343
C. melacoryphus, 261, 265
C. minor, 335
Coereba flaveola, 83
Colaptes auratus, 353, 354, 355, 356, 359
Colino, J. M., 220–223
Colinus virginianus, 20–22, 271, 272, 410
Colorado, 24, 25, 26, 28, 39, 41, 52, 293, 295, 393, 412, 413
Colorado River, 151, 152, 154, 155
Columba flavirostris, 335
C. livia, 97, 98
C. palumbus, 97–101
Columbia, 74, 75, 281, 282, 284, 360, 362
Columbina picui, 261, 265
communal breeding, 360–362
Conner, R. N., 125–129
conservation research, 329–339

Continental Divide, 25, 28
Contopus borealis, 336
C. virens, 56, 57, 143, 144, 145, 146, 356, 359
Conure
Nanday, see *Nandayus nenday*
White-eyed, see *Aratinga leucophthalmus*
Cook-Haley, B. S., 174–179
Cooke, F., 363–371
Cooper, R. J., 329–330
Coot
Eurasian, see *Fulica atra*
Corrientes, 217
Corvus brachyrhynchos, 144, 145, 146, 161, 353
C. corax, 161
Coryphospingus cucullatus, 215, 261, 265
Costa Rica, 62
Coturnicops noveboracensis, 335, 336
Coturnix coturnix, 197
Cowbird
Brown-headed, see *Molothrus ater*
Giant, see *Molothrus oryzivorus*
Shiny, see *Molothrus bonariensis*
Craig, R. J., 70–73
Crake
Spotted, see *Porzana porzana*
Creeper
Appalachian Brown, see *Certhia americana nigrescens*
Brown, see *Certhia americana*
Crockett, R. J., 239–245
Crow
American, see *Corvus brachyrhynchos*
Crozet Archipelago, 309
Cuba, 41, 44
Cuckoo
Black-billed, see *Coccyzus erythropthalmus*
Dark-billed, see *Coccyzus melacoryphus*
Mangrove, see *Coccyzus minor*
Yellow-billed, see *Coccyzus americanus*
Cumberland Plateau, 333
Cyanocitta cristata, 305, 343, 356, 359
Cyanocorax beecheii, 362
C. cayanus, 360–362
C. dickeyi, 362
C. melanocyanea, 362
C. morio, 362
C. sanblasiana, 362
C. yncas yncas, 360, 362
C. yucatanica, 362
Cyclarhis qujanensis, 261, 265
Davis, S. E., 258–267
Delaware, 240
Dendrocincla fuliginosa, 78
D. tyrannina, 289
Dendrocopus kizuki, 247
D. major, 247
Dendroica caerulescens, 191–196, 331, 334, 343
D. castanea, 334
D. cerulea, 334, 335, 336, 359
D. discolor, 56, 57, 191–196, 335, 359
D. d. paludicola, 335
D. petechia, 272, 412–419
D. p. gundlachi, 335
D. virens, 343
D. v. wayneri, 335
Denmark, 298
Desrochers, A., 303–307
DeStefano, S., 151–155
DeVault, T. L., 268–275
Dewar, H. J., 340–350
Dickcissel, see *Spiza americana*
Dicrurus macrocercus, 70
Diehl, R. H., 2–8
Dieni, J. S., 253–257
diet, 191–196, 363–371
distribution, 38–52
Diuca diuca, 213, 215–216
Dolichonyx oryzivorus, 272, 273, 274, 334
Dominican Republic, 44
Donovan, T. M., 329–339
Doppler radar, 2–8
Dove, C. J., 60–61
Dove
Mourning, see *Zenaida macroura*
Rock, see *Columba livia*
Zenaida, see *Zenaida aurita*
Drongo
Black, see *Dicrurus macrocercus*
Dryocopus pileatus, 343, 353
Duck
American Black, see *Anas rubripes*
Harlequin, see *Histrionicus histrionicus*
Muscovy, see *Cairina moschata*
Ruddy, see *Oxyura jamaicensis*
Wood, see *Aix sponsa*
Dumetella carolinensis, 343, 359, 380
Eagle
Bald, see *Haliaeatus leucocephalus*
Golden, see *Aquila chrysaetos*
Spanish Imperial, see *Aquila adalberti*
White-tailed Sea, see *Haliaeetus albicilla*
Ecuador, 282, 289
Egret
Cattle, see *Bubulcus ibis*
Elaena albiceps, 261
E. chiriquensis, 261, 265
E. flavogaster, 261
E. parvirostris, 261, 262, 263, 265
Elaena
Greenish, see *Myiopagis viridicata*
Lesser, see *Elaenia chiriquensis*
Small-billed, see *Elaenia parvirostris*
Elanoides forficatus, 334, 335
Empidonax minimus, 359
E. trailii, 272, 337, 359
E. virescens, 55, 56, 57, 144, 145, 146, 356, 359
E. wrightii, 336
endangered species, 38–52, 125–129, 151–155, 156–165, 298–302
Eremophila alpestris, 271, 272, 273
Europe, 60, 86, 180, 246, 250, 251, 298
Evans, W. R., 2–8
extra-pair copulation/fertilization, 420–426
Falco peregrinus, 411
F. sparverius, 162
Falcon
Peregrine, see *Falco peregrinus*
fecal analysis, 363–371
Fedy, B. C., 420–426

feeding rate, 9–14
Fernández, G. J., 166–173
Fernández-Cruz, M., 185–190
Ferrer, M., 298–302
Finch
Diuca, see *Diuca diuca*
Red-crested, see *Coryphospingus cucullatus*
fish net traps, 220–223
Fitzgerald, J. A., 329–330
Flamingo
Greater, see *Phoenicopterus ruber roseus*
Flicker
Northern, see *Colaptes auratus*
Flock, B. E., 20–22
flocking behavior, 70–73, 74–81, 246–252, 281–191
Florida, 39, 41, 42, 45, 49–50, 334, 380
flow cytometry, 239–245
Flycatcher
Acadian, see *Empidonax virescens*
Bran-colored, see *Myiophobus fasciatus*
Brown-crested, see *Myiarchus tyrannulus*
Euler's, see *Lathrotriccus euleri*
Fuscous, see *Cnemotriccus fuscatus*
Gray, see *Empidonax wrightii*
Great Crested, see *Myiarchus crinitus*
Least, see *Empidonax minimus*
Olive-sided, see *Contopus borealis*
Southern-scrub, see *Sublegatus modestus*
Streaked, see *Myiodynastes maculatus*
Suiriri, see *Suiriri suiriri*
Swainson's, see *Myiarchus swainsoni*
Willow, see *Empidonax trailii*
Ford, R., 329–339
foraging, 82–85, 91–96, 130–140, 185–190, 246–252, 318–322
Forpus passerinus, 406
Fraga, R. M., 213–219
France, 183, 388
Friar, M. S., 117–124
Fritz, C. L., 156–165
Fuertes, B., 220–223
Fulica atra, 301
Furnarius rufus, 217
Galbula galbula, 78, 79, 80
Gallardo, M., 387–391
Gallinula chloropus, 220–223, 243, 244
García, J., 220–223
Garrido, J. R., 185–190
Gauthreaux, S. A., 329–330
George, T. L., 320–339
Geothlypis trichas, 256, 268, 272, 273, 359, 376, 377, 382, 383
Germany, 60
Ghana, 180, 183
Glyphorynchus spirurus, 78, 79
Gnatcatcher
Blue-gray, see *Polioptila caerulea*
Masked, see *Polioptila dumicola*
Gnorimopsar chopi, 404
Goldcrest, see *Regulus regulus*
Golden-Plover
European, see *Pluvialis apricaria*
Goldfinch
American, see *Carduelis tristis*
Goose
Greylag, see *Anser anser*
Gorman, L. R., 38–52
Grackle
Common, see *Quiscalus quiscula*
Grassquit
Dull-colored, see *Tiaris obscura*
Great Britain, 83, 180, 183
Great Lakes, 174, 178
Great Plains, 39, 41
Great Slave Lake, 208
Greater Antilles, 41
Grebe
Pied-billed, see *Podilymbus podiceps*
Grosbeak
Black-backed, see *Pheucticus aureoventris*
Blue, see *Guiraca caerulea*
Rose-breasted, see *Pheucticus ludovicianus*
Groscolas, R., 308–317
Ground-Dove
Picui, see *Columbina picui*
Grouse
Greater Sage, see *Centrocercus urophasianus*
Guam, 70
Guiana, 360
Guiraca caerulea, 382, 383
Gulf of Mexico, 7, 41, 45, 264
Gull
Audoin's, see *Larus audouinii*
Bonaparte's, see *Larus philadelphia*
Glaucous-winged, see *Larus glaucescens*
Herring, see *Larus argentatus*
Mew, see *Larus canus*
Ring-billed, see *Larus delawarensis*
Thayer's, see *Larus thayeri*
Yellow-legged, see *Larus cachinnans*
Gypaetus barbatus, 86–90
Gyps fulvus, 86–90
habitat requirements, 318–322, 412–419
Haematopus bachmani, 199
Haig, S. M., 38–52
Haiti, 44
Haliaeetus albicilla, 301
H. leucocephalus, 28, 91, 95, 411
Harmata, A. R., 23–32
Harrier
Northern, see *Circus cyaneus*
Hawk
Ferruginous, see *Buteo regalis*
Red-shouldered, see *Buteo lineatus*
Red-tailed, see *Buteo jamaicensis*
Sharp-shinned, see *Accipiter striatus*
Short-tailed, see *Buteo brachyurus*
Hays, H., 180–184
Heacker, M., 60–61
Hejl, S. J., 130–140
Hellman, J. M., 276–280
Helmitheros vermivorus, 56, 57, 144, 145, 146, 334, 335, 356, 359
Herranz, J., 97–101
Hinojosa-Huerta, O., 151–155
Hispaniola, 41, 43, 44, 332, 384
Histrionicus histrionicus, 363–371
Hornby Island, 364, 365, 366, 367

Hornero
Rufous, see *Furnarius rufus*
Hummingbird
Buff-bellied, see *Amazilia yucatanensis*
Ruby-throated, see *Archilocus colubris*
Hunter, W. C., 329–339
Huntsman, B. O., 372–378
Hylocichla mustelina, 144, 145, 146, 239–245, 332, 335, 343, 356, 359
Hylophylax poecilonota, 78
Iberian Peninsula, 211
Icteria virens, 56, 57, 382, 383
Icterus cayenensis, 216
I. graduacauda, 335
I. spurius, 255, 256, 336, 382, 383
Idaho, 24, 29, 131
Illinois, 2, 268, 271, 273
incubation, 199–205
Indiana, 141, 142, 144, 145, 268, 269, 270, 274
Inezia inornata, 261, 265
Iowa, 39, 51
Ireland, 60, 180, 183
Italy, 60
Ivory Coast, 180
Jabłoński, P. G., 246–252
Jahn, A. E., 258–267
Jamaica, 191, 192, 193, 194
Japan, 246
Jay
Beechey, see *Cyanocorax beecheii*
Blue, see *Cyanocitta cristata*
Brown, see *Cyanocorax morio*
Bushy-crested, see *Cyancorax melanocyanea*
Cayenne, see *Cyanocorax cayanus*
Florida Scrub, see *Aphelocoma coerulescens*
Green, see *Cyanocorax y. yncas*
San Blas, see *Cyanocorax sanblasiana*
Tufted, see *Cyanocorax dickeyi*
Yucatan, see *Cyanocorax yucatanica*
Johnson, M. D., 191–196
Jones, J. G., 191–196
Jones, S. L., 253–257
Junco hyemalis, 343, 348, 359
Junco
Dark-eyed, see *Junco hyemalis*
Kansas, 38, 39, 41, 42, 45, 51, 277, 336
Keeler, C. L., Jr., 239–245
Kentucky, 268, 335, 372
Kestrel
American, see *Falco sparverius*
Killdeer, see *Charadrius vociferous*
Kingbird
Gray, see *Tyrannus dominicensis*
Kinglet
Golden-crowned, see *Regulus satrapa*
Kite, Swallow-tailed, see *Elanoides forficatus*
kleptoparasitism, 91–96, 185–190
Korea, 246, 248
Kosztolányi, A., 199–205
Kuwait, 60
Lake Tuzla, 200
Lanius ludovicianus, 380
Lapwing
Northern, see *Vanellus vanellus*
Lark
Horned, see *Eremophila alpestris*
Larkin, R. P., 2–8
Larus argentatus, 92
L. audouinii, 185
L. cachinnans, 185
L. canus, 92, 93, 94, 95
L. delawarensis, 175
L. glaucescens, 92
L. philadelphia, 92, 93, 94, 95
L. thayeri, 92
Laterallus jamaicensis, 334, 336
Lathrotriccus euleri, 261, 265
Latin America, 330
learning, 82–85
Lee, S. D., 246–252
Lefebvre, L., 82–85
lekking, 281–291
Lima, P., 180–184
Lima, S. L., 268–275
Limnothlypis swainsonii, 334, 335
Lipaugus cryptolophus, 285
longevity, 23–32
Longspur
McCown's, see *Calcarius mccownii*
Lophotriccus galeatus, 78, 79, 80
Louisiana, 3, 39, 41, 42, 410
Loxigilla noctis, 82–85
Luscinia svecica cyanecula, 222
Macaw
Blue-and-Yellow, see *Ara ararauna*
Green-winged, see *Ara chloroptera*
Hyacinth, see *Anodorhynchus hyacinthinus*
Red-and-Green, see *Ara chloropterus*
Scarlet, see *Ara macao*
Magpie
Black-billed, see *Pica hudsonia* and *Pica pica*
Yellow-billed, see *Pica nuttalli*
Maine, 334
Mallard, see *Anas platyrhynchos*
Manacus manacus, 78
Manu Biosphere Reserve, 16
Margalida, A., 86–90
Mariana Islands, 70–73
Marshbird
Brown-and-Yellow, see *Pseudoleistes virescens*
Marston, B. H., 91–9
Martin, T. E., 329–339
Massachusetts, 118, 183
Mato Grosse do Sul, 400, 403, 404, 405, 406
McCarty, J. P., 9–14
Meadowlark
Eastern, *Sturnella magna*
Long-tailed, see *Sturnella loyca*
Pampas, see *Sturnella defilippi*
measuring
eggs, 197–198
food availability, 130–140
Mediterranean, 220
Melanerpes candidus, 404
M. carolinus, 343, 355, 356, 359
M. erythrocephalus, 336
M. lewisii, 336
Meleagris gallopavo, 276–280

M. g. intermedius, 277
Melospiza melodia, 255, 256, 268, 272
Mexico, 18, 38, 39, 40, 41, 42, 45, 46, 62, 63, 64, 65, 67, 151, 152, 153, 154, 155, 163
Michigan, 12, 35, 174, 175, 176, 177, 383
migration, 2–8, 180–184, 258–267
Millenbah, K. F., 174–179
Miller, M. S., 276–280
Milvago chimango, 167
Mimus polyglottos, 359
Minnesota, 63, 264
Mionectes oleaginous, 289
Mississippi, 39, 41, 42
Missouri, 53, 54, 57
mist-net surveys, 53–59
mixed-species flocks, 74–81
Mniotilta varia, 55, 56, 57, 191–196, 343, 359
Mockingbird
  Northern, see *Mimus polyglottos*
Molina, C., 360–362
Molothrus ater, 35, 37, 144, 145, 146, 213, 214, 268, 272, 273, 274, 356, 359, 379–386
M. bonariensis, 213–219, 380
M. oryzivorus, 217
Momotus momota, 78
Montana, 24, 25, 28, 29, 131, 321
Mooney, K. A., 392–398
Moorhen
  Common, see *Gallinula chloropus*
Morelos, 63
Morocco, 298
morphometrics, 62–69
mortality, 23–32
Mourão, G. de M., 399–409
Myiarchus crinitus, 255, 343, 359, 382, 383
M. tyrannulus, 261, 265
M. swainsoni, 261, 265
Myiodynastes maculates, 261, 265
Myiopagis viridicata, 261, 265
Myiophobus fasciatus, 261, 265
Myrmotherula axillaris, 74–81
Nandayus nenday, 404, 406
nest
  building, 125–129, 292–297
  photography, 97–101
  site selection, 166–173, 174–179, 298–302
nestling
  age, 33–37
  development, 33–37
  feeding, 9–14
  growth, 33–37
Neves, V., 180–184
New Mexico, 39, 41, 42, 52
New Orleans, 410
New York, 10
Nighthawk
  Common, see *Chordeiles minor*
Nightjar
  Egyptian, see *Caprimulgus aegyptius*
  Little, see *Caprimulgus parvulus*
Nisbet, I. C. T., 117–124
Norris, D. R., 420–426
North America, 24, 33, 38, 40, 45, 60, 62, 67, 246, 264, 266, 303, 331, 360, 363, 384, 410
North Carolina, 384
Northwest Territories, 206, 207, 209
Nover, D., 82–85
Nuthatches
  European, see *Sitta europaea*
  Pygmy, see *Sitta pygmaea*
  Red-breasted, see *Sitta canadensis*
  White-breasted, see *Sitta carolinensis*
Odontophorus columbianus, 318–322
O. gujanensis, 318
O. gullatus, 318
O. leucolaemus, 318
Ohio, 268, 352, 355, 356, 359
Oklahoma, 38, 39, 41, 42, 45, 51, 334, 336
Ontario, 12, 340, 341, 342, 344
Oporornis formosus, 55, 56, 57, 335, 356, 359
O. tolmieri, 337
Oregon, 165
Oreoscoptes montanus, 336
Oriole
  Audubon's, see *Icterus graduacauda*
  Epaulet, see *Icterus cayenensis*
  Orchard, see *Icterus spurius*
Oropendola
  Crested, see *Psarocolius decumanus*
Ostrich, see *Struthio camelus*
Otis tarda, 244
Otus asio, 304
O. flammulatus, 336
Ovenbird, see *Seiurus aurocapillus*
Owl
  Burrowing, see *Athene cunicularia*
  Eagle, see *Bubo bubo*
  Flammulated, see *Otus flammulatus*
  Great Horned, see *Bubo virginianus*
  Saw-whet, see *Aegolius acadicus*
  Screech, see *Otus asio*
  Short-eared, see *Asio flammeus*
  Spotted, see *Strix occidentalis*
Oxyura jamaicensis, 207
Oystercatcher
  Black, see *Haematopus bachmani*
Ozark Mountains (Ozarks), 53, 54, 57, 333
Pagen, R. W., 53–59
Pampas, 213
Panama, 62, 75
Paraguay, 259, 399
Parcells, M. S., 239–245
parental care, 9–14, 199–205
Parrot
  Lilac-crowned, see *Amazona finschi*
  Puerto Rican, see *Amazona vittata*
  Red-spectacled, see *Amazona pretrei*
  Yellow-shouldered, see *Amazona barbadensis*
Parrotlet
  Green-rumped, see *Forpus passerinus*
Partners in Flight Research Working Group, 329–339
Partridge
  Gray, see *Perdix perdix*
Parula americana, 192–196, 359
Parula
  Northern, see *Parula americana*
Parus ater, 247–252
P. a. ater, 248

P. (*Baeolophus*) *bicolor,* 144, 145, 146, 355, 356, 359, 376
P. caeruleus, 84, 251
P. major, 246–252
P. m. major, 251
P. m. minor, 248
P. palustris, 247–252
P. p. brevirostris, 248
P. varius, 246–252
P. v. varius, 248
Passer domesticus, 192
Passerculus sandwichensis, 272
Passerina ciris, 382, 383
P. cyanea, 3, 55, 56, 57, 268, 272, 273, 382, 383
Patagonia, 213, 216
paternity, 420–426
Pennsylvania, 269, 305, 421
Penguin
Humboldt, see *Spheniscus humboldti*
King, see *Aptenodytes patagonicus*
Penteriani, V., 387–391
Peppershrike
Rufous-browed, see *Cyclarhis qujanensis*
Perdix perdix, 321
Peru, 16, 259
Peterson, B. L., 156–165
Petrochelidon pyrrhonota, 12, 292, 296
Phacellodomus sibilatrix, 215, 217
Phaethornis superciliosus, 289
Phasianus colchicus, 272, 273
Pheasant
Ring-necked, see *Phasianus colchicus*
Pheucticus aureoventris, 261, 265
P. ludovicianus, 354, 355, 356, 359
Phoenicopterus ruber roseus, 244
Pica hudsonia, 292–297
P. nuttalli, 296, 380
P. pica, 97, 99, 100
Picoides alholarvatus, 336
P. arcticus, 131, 132, 137, 138
P. borealis, 125–129
P. pubescens, 75, 305, 343, 355, 356, 359
P. tridactylus, 131, 138
P. villosus, 131, 138, 256, 305, 359
Pigeon
Red-billed, see *Columba flavirostris*
Pipilo abertii, 337
P. erythrophthalmus, 355, 356, 359, 382, 383
Pipit
Sprague's, see *Anthus spragueii*
Pipra erythrocephala, 78, 79
P. pumilus, 79
Pipreola riefferi, 285
Piranga olivacea, 144, 145, 146, 343, 353, 356, 359
P. rubra, 55, 56, 57, 359
playback surveys, 303–307
Plover
Cuban Snowy, see *Charadrius alexandrinus tenuirostris*
Mountain, see *Charadrius montanus*
Piping, see *Charadrius melodus*
Semipalmated, see *Charadrius semipalmatus*
Snowy, see *Charadrius alexandrinus*
Western Snowy, see *Charadrius alexandrinus nivosus*
Wilson's, see *Charadrius wilsonia*
Pluvialis apricaria, 199
Podilymbus podiceps, 410–411
Podlesak, D. W., 33–37
Poecile atricapillus (*atricapilla*), 75, 84, 303–301, 343
P. a. practicus, 335
P. carolinensis, 75, 143, 144, 145, 146, 305, 354, 355, 356, 359, 382, 383
P. gambeli, 393
point-count surveys, 53–59, 141–150, 351–359
Polioptila caerulea, 55, 56, 57, 356, 359, 382, 383
P. dumicola, 215
Polyborus plancus, 167, 335
polymerase chain reaction (PCR), 239–245
population monitoring, 340–350
Portugal, 298
Porzana carolina, 222
P. porzana, 220–223, 410
Post, W., 379–386
Powell, A. N., 156–165
Powell, H. D. W., 130–140
Prairie-Chicken
Lesser, see *Tympanuchus pallidicinctus*
predation, 97–101, 166–173, 410–411
Price, J., 329–339
Protonotaria citrea, 33–37
Psarocolius decumanus, 216, 217
Pseudoleistes virescens, 216
Pseudoseisura lophotes, 213, 214–215, 217
Puerto Rico, 39, 41, 42, 44
Puget Sound, 368
Pyrenees Mountains, 86, 87
Quail
Japanese, see *Coturnix coturnix*
Quebec, 304, 305
Queensland, 256
Quiscalus quiscula, 36, 359
Rail
Black, see *Laterallus jamaicensis*
Clapper, see *Rallus longirostris*
Virginia, see *Rallus limicola*
Water, see *Rallus aquaticus*
Yellow, see *Coturnicops noveboracensis*
Yuma Clapper, see *Rallus longirostris yumanensis*
Rallus aquaticus, 220–223
R. limicola, 222
R. longirostris, 222
R. longirostris yumanensis, 151–155
Ramphastos toco, 404
Raven
Common, see *Corvus corax*
Razorbill, see *Alca torda*
Reader, S. M., 82–85
Reboreda, J. C., 166–173
Redondo, A. J., 197–198
Redstart
American, see *Setophaga ruticilla*
Regulus regulus, 247
R. satrapa, 305, 359
Renton, K., 15–19
Rhea americana, 166–173
Rhea
Greater, see *Rhea americana*
Riehl, C., 410–411
Riffell, B. D., 351–359

Riffell, S. K., 351–359
Rio Manu, 16–18
Ritchison, G., 372–378
Robin
American, see *Turdus migratorius*
Robinson, J. K., 191–196
Rocky Mountains, 23, 24, 28, 29, 38, 39, 412, 413
Rodway, M. S., 363–371
Root, B., 141–150
Rosenberg, K. V., 329–339
Rota, 70
Roth, R. R., 239–245
Rudolph, D. C., 125–129
Ruth, J. M., 412–419
Ruthrauff, D. R., 191–196
Rynchops niger, 164
Saenz, D., 125–129
Saipan, 70–73
San Diego County, 156–165
Sandpiper
Purple, see *Calidris maritima*
Upland, see *Bartramia longicauda*
Sapsucker
Appalachian Yellow-bellied, see *Sphyrapicus varius appalachiensis*
Williamson's, see *Sphyrapicus thyroideus*
Yellow-bellied, see *Sphyrapicus varius*
Sarasa, C. G., 185–190
Saskatchewan, 29, 210
Scandinavia, 23, 29
Scaup
Lesser, see *Aythya affinis*
Schaefer, R. R., 125–129
Schalk, G., 340–350
Schweitzer, S. H., 379–386
Scolopax minor, 334, 411
Scotland, 23, 29
Scott, P. E., 268–275
seasonal variation, 15–19
Seiurus aurocapillus, 56, 57, 143, 144, 145, 146, 147, 356, 359
S. motacilla, 144, 145, 146, 359
Seixas, G. H. F., 399–409
senescence, 117–124
Seoul, 246
Setophaga ruticilla, 191–196, 255, 331, 343
sex determination, 239–245
sexual dimorphism, 62–69
Shaw, W. W., 151–155
Shrike
Loggerhead, see *Lanius ludovicianus*
Sialia sialis, 36, 256, 359, 372–378, 382
Siberia, 24
Sierra Nevada, 380
Silvereye
Capricorn, see *Zosterops lateralis chlorocephala*
Sitta canadensis, 393
S. carolinensis, 75, 143, 144, 145, 146, 305, 351, 354, 355, 356, 359, 393
S. europaea, 247
S. pygmaea, 393
Six, D. L., 130–140
Skimmer
Black, see *Rynchops niger*
Skua
Arctic, see *Stercorarius parasiticus*
Sonora, 151, 152, 153
Sora, see *Porzana carolina*
South America, 15, 167, 180, 183, 213, 258, 259, 260, 266, 360, 399
South Carolina, 379, 380, 381, 382, 384
South Dakota, 253, 254
South Indian Ocean, 309
South Korea, 246
Spain, 86, 87, 97, 185, 186, 220, 222, 298, 299, 300, 301
Sparrow
Bachman's, see *Aimophila bachmanii*
Baird's, see *Ammodramus bairdii*
Brewer's, see *Spizella breweri*
Eastern Grasshopper, see *Ammodramus savannarum pratensis*
Field, see *Spizella pusilla*
Florida Grasshopper, see *Ammodramus savannarum floridanus*
Grasshopper, see *Ammodramus savannarum*
Henslow's, see *Ammodramus henslowii*
House, see *Passer domesticus*
Nelson's Sharp-tailed, see *Ammodramus nelsoni*
Sage, see *Amphispiza belli*
Saltmarsh Sharp-tailed, see *Ammodramus caudacutus*
Savannah, see *Passerculus sandwichensis*
Seaside, see *Ammodramus maritimus*
Song, see *Melospiza melodia*
White-throated, see *Zonotrichia albicollis*
Sparrowhawk, see *Accipiter nisus*
specimen salvage, 60–61
Spheniscus humboldti, 313
Sphyrapicus thyroideus, 336
S. varius, 343
S. v. appalachiensis, 335
Spiza americana, 2–8, 268, 271, 272, 273, 274, 335
Spizella breweri, 336
S. pusilla, 268, 272, 273
spot mapping, 253–257
Stanley, T. R., 292–297, 412–419
Stercorarius parasiticus, 188
Sterna antillarum browni, 158, 164
S. caspia, 164
S. dougallii, 180–184
S. elegans, 164
S. forsteri, 164
S. hirundo, 117–124, 174–179, 181, 183
S. nilotica, 164
Stiles, F. G., 281–291
Strait of Georgia, 364, 368
Strix occidentalis, 336
Struthio camelus, 170, 244
Sturnella defilippi, 217
S. loyca, 216–217
S. magna, 268, 271, 272, 273, 274
S. superciliaris, 216
Stutchbury, B. J. M., 420–426
Suárez, F., 97–101
Sublegatus modestus, 261, 265
Suiriri suiriri, 262
surveys, 15–19, 151–155, 253–257, 303–307, 340–350, 387–391

survival, 23–32, 117–124, 174–179, 180–184, 191–196
Swallow
Cliff, see *Petrochelidon pyrrhonota*
Tree, see *Tachycineta bicolor*
Sweden, 30
Switzerland, 23
Székely, T., 199–205
Tabasco, 39
Tachycineta bicolor, 9–14, 359
Tamaulipas, 39, 41, 42, 46
Tanager
Scarlet, see *Piranga olivacea*
Summer, see *Piranga rubra*
Tangara parzudakii, 287
tartar emetic, 191–196
Teal
Green-winged, see *Anas crecca*
Tennessee, 35
Tern
California Least, see *Sterna antillarum browni*
Caspian, see *Sterna caspia*
Common, see *Sterna hirundo*
Forster's, see *Sterna forsteri*
Gull-billed, see *Sterna nilotica*
Roseate, see *Sterna dougallii*
Royal, see *Sterna elegans*
Terp, J. M., 156–165
territorial behavior, 86–90
Texas, 2–8, 24, 38, 39, 41, 42, 45, 46, 50–51, 60, 62, 63, 125, 277, 305, 334, 336, 352
Textor cucullatus, 292, 296
Thamnophilus amazonicus, 78, 79
T. murinus, 78
Thil, M-A., 308–317
Thompson, F. R., III., 53–59, 141–150
Thornbird
Little, see *Phacellodomus sibilatrix*
Thrasher
Brown, see *Toxostoma rufum*
Sage, see *Oreoscoptes montanus*
threatened species, 38–52
Thrush
Bicknell's, see *Catharus bicknelli*
Creamy-bellied, see *Turdus amaurochalinus*
Hermit, see *Catharus guttatus*
Pale-breasted see *Turdus leucomelas*
Rufous-bellied, see *Turdus rufiventris*
Swainson's, see *Catharus usutulatus*
Wood, see *Hylocichla mustelina*
Thryomanes bewickii altus, 334, 335
T. b. bewickii, 336
Thryothorus ludovicianus, 382
Tiaris obscura, 261, 265
Tietz, J. R., 191–196
Tinian, 70
Tit
Blue, see *Parus caeruleus*
Coal, see *Parus ater*
Great, see *Parus major*
Long-tailed, *Aegithalos caudatus*
Marsh, see *Parus palustris*
Varied, see *Parus varius*
Titmouse
Tufted, see *Parus* (*Baeolophus*) *bicolor*
Toucan
Toco, see *Ramphastos toco*
Towhee
Abert's, see *Pipilo abertii*
Eastern, see *Pipilo erythrophthalmus*
Toxostoma rufum, 272, 359, 382, 383
track-plates, 392–398
transmitter attachment, 206–212, 276–280
transponder systems, 199–205
Troglodytes aedon, 255, 256, 376
T. troglodytes, 222, 343
T. t. pullus, 335
Tryannulet
Plain, see *Inezia inornata*
Southern Beardless, see *Camptostoma obsoletum*
Trogon viridis, 78, 79
Turcotte, Y., 303–307
Turdus amaurochalinus, 258, 260, 261, 262, 263, 264, 265, 266
T. leucomelas, 213, 215, 217
T. migratorius, 272, 356, 359, 383
T. rufiventris, 217
Turkey, 200
Turkey
Rio Grande Wild, see *Meleagris gallopavo intermedius*
Wild, see *Meleagris gallopavo*
Tympanuchus pallidicinctus, 335
Tyrannus dominicensis, 380
Underwood, R. M., 239–245
United States, 24, 30, 33, 38–52, 62, 63, 117, 151, 180, 182, 213, 329, 330, 333, 334, 337, 384, 420
Uruguay, 215
Van Why, K. R., 20–22
Vanellus vanellus, 199
Venezuela, 318, 319, 320, 360
Veracruz, 39, 41, 42, 46, 63, 65, 67, 68
Vermivora chrysoptera, 334, 335, 336
V. luciae, 335, 337
V. pinus, 55, 56, 57
Vickery, P. D., 329–339
Vireo altiloquus, 335
V. bellii, 272, 335, 336, 337
V. flavifrons, 343
V. gilvus, 256
V. griseus, 56, 57, 382, 383
V. olivaceus, 55, 56, 57, 144, 145, 146, 261, 265, 356, 359
Vireo
Bell's, see *Vireo bellii*
Black-whiskered, see *Vireo altiloquus*
Red-eyed, see *Vireo olivaceus*
Warbling, see *Vireo gilvus*
White-eyed, see *Vireo griseus*
Yellow-throated, see *Vireo flavifrons*
Virgin Islands, 41, 42, 44, 183
Virginia, 33, 35, 60, 334, 379, 384
vocalizations, 2–8, 151–155, 372–378, 420–426
Vulture
Bearded, see *Gypaetus barbatus*
Griffon, see *Gyps fulvus*
Wallace, M. C., 276–280
Warbler
Bay-breasted, see *Dendroica castanea*

Black-and-white, see *Mniotilta varia*
Black-throated Blue, see *Dendroica caerulescens*
Black-throated Green, see *Dendroica virens*
Blue-winged, see *Vermivora pinus*
Canada, see *Wilsonia canadensis*
Cerulean, see *Dendroica cerulea*
Cuban Yellow, see *Dendroica petechia gundlachi*
Florida Prairie, see *Dendroica discolor paludicola*
Golden-winged, see *Vermivora chrysoptera*
Hooded, see *Wilsonia citrina*
Kentucky, see *Oporornis formosus*
Lucy's, see *Vermivora luciae*
MacGillivray's, see *Oporornis tolmieri*
Prairie, see *Dendroica discolor*
Prothonotary, see *Protonotaria citrea*
Red-faced, see *Cardellina rubrifrons*
Southeastern Black-throated Green, see *Dendroica virens wayneri*
Swainson's, see *Limnothlypis swainsonii*
Three-striped, see *Basileuterus tristriatus*
Wilson's, see *Wilsonia pusilla*
Worm-eating, see *Helmitheros vermivorus*
Yellow, see *Dendroica petechia*
Washington, 368
Washington, D. C., 60
Waterthrush
Louisiana, see *Seiurus motacilla*
Weaver
Village, see *Textor cucullatus*
Weicker, J. J., 62–69
West Virginia, 269, 334
Whip-poor-will, see *Caprimulgus vociferus*
White-eye
Bridled, 70–73
Whitehead, M. A., 379–386
Wigley, T. B., 329–339
Williams, C. K., 20–22
Willson, M. F., 91–96
Wilsonia canadensis, 334
W. citrina, 68, 335, 356, 359, 420–426
W. pusilla, 62–69, 412–419
W. p. chryseola, 63
W. p. pileolata, 63, 64, 65, 67
W. p. pusilla, 63
Winker, K., 62–69
Wisconsin, 63
Woodcock
American, see *Scolopax minor*
Woodpecker
Black-backed, see *Picoides arcticus*
Downy, see *Picoides pubescens*
Great Spotted, see *Dendrocopus major*
Hairy, see *Picoides villosus*
Japanese Pygmy, see *Dendrocopus kizuki*
Lewis's, see *Melanerpes lewisii*
Pileated, see *Dryocopus pileatus*
Red-bellied, see *Melanerpes carolinus*
Red-cockaded, see *Picoides borealis*
Red-headed, see *Melanerpes erythrocephalus*
Three-toed, see *Picoides tridactylus*
White, see *Melanerpes candidus*
White-headed, see *Picoides albolarvatus*
Wood-Pewee
Eastern, see *Contopus virens*
Wood-Pigeon
Common, see *Columba palumbus*
Wood-Quail
Venezuelan, see *Odontophorus columbianus*
Wren
Appalachian Bewick's, see *Thryomanes bewickii altus*
Appalachian Winter, see *Troglodytes troglodytes pullus*
Carolina, see *Thryothorus ludovicianus*
Eastern Bewick's, see *Thryomanes bewickii bewickii*
House, see *Troglodytes aedon*
Sedge, see *Cistothorus platensis*
Winter, see *Troglodytes troglodytes*
Wyoming, 24, 28, 412, 413
Xanthopsar flavus, 213, 216, 218
Xiphorhynchus spixii, 78
Yanes, M., 97–101
Yellowthroat
Common, see *Geothlypis trichas*
Yucatan, 41, 46
Zankys, A. M. S., 258–267
Zenaida aurita, 83
Z. macroura, 211, 272, 359
Zimmerius gracilipes, 78, 79, 80
Zonotrichia albicollis, 354, 355, 359
Zosterops conspicillatus, 70
Z. lateralis chlorocephala, 73